ML 030975

PCT/IB 04/51343

Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

Bescheinigung   Certificate   Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.	The attached documents are exact copies of the European patent application described on the following page, as originally filed.	Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr.   Patent application No.   Demande de brevet n°

03102484.7

REC'D 0 9 AUG 2004

WIPO	PCT

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk

Anmeldung Nr:
Application no.: 03102484.7
Demande no:

Anmeldetag:
Date of filing: 08.08.03
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Koninklijke Philips Electronics N.V.
Groenewoudseweg 1
5621 BA   Eindhoven
PAYS-BAS

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se referer à la description.)

Method of scrolling through a document

In Anspruch genommene Priorität(en) / Priority(ies) claimed /Priorité(s) revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

G09G/

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT RO SE SI SK TR LI

2

Method of scrolling through a document

FIELD OF THE INVENTION

The invention relates to a data processing system comprising presentation means for presenting at least a part of a document on a display screen, said part being determined by a position of a focus point within the document and by a zoom factor with respect to at least one coordinate direction, the system further comprising scroll means for in response to a user-supplied scroll command adjust the position of the focus point.

The invention further relates to a method of scrolling through a document, comprising a step of presenting at least a part of the document on a display screen, said part being determined by a position of a focus point within the document and by a zoom factor with respect to at least one coordinate direction, the method further comprising a step of adjusting the position of the focus point in response to a user-supplied scroll command.

The invention further relates to a computer program product for implementing the above method.

BACKGROUND OF THE INVENTION

Scrolling and zooming are among the most frequently used commands in interactive applications such as word processors, spreadsheets and digital maps. This is because the full extent of the document is typically much larger than can be displayed by the display screen. To get an overview of the whole document the user is likely to zoom-out to see a large part of the document at a glance, while operations such as editing and selecting typically require a zoomed-in view revealing detailed elements of the document which might be invisible or too small in the zoomed-out view.

An example of a system as defined in the opening paragraph is known from US patent 6,407,749. The known system provides the user with user operable means to easily switch between scrolling and zooming. This is, for example, achieved by operating two mouse buttons simultaneously, and not requiring use of any on-screen graphical tools. The known system thus provides the user a smooth flight-like aesthetic.

OBJECT AND SUMMARY OF THE INVENTION

It is an object of the invention to provide an improved system and method of the type defined in the opening paragraph. In one aspect of the invention this object is realized in that the presentation means of the data processing system according to the

5   invention is adapted to automatically adjust the zoom factor in dependence of an aspect of said scroll command. Said aspect of said scroll command may include a duration, a repetition rate, or an intensity. For example, if the user quickly repeats a 'page-down' command, or holds the 'page-down' button for a longer period to generate a quick repetition of such commands, the system according to the invention may automatically adjust the zoom factor.

10   Preferably, such adjustment comprises a zoom-out operation, so that a relatively large adjustment of the position of the focus point in a certain coordinate direction causes a zooming-out of said document in at least said coordinate direction, thus providing the user with a better impression of the effect of the scrolling operation.

The inventor has recognized that scrolling a document over a relatively large

15   distance inherently involves a larger context than the context provided by a single screen in a zoomed-in view. With conventional systems, a prolonged actuation of a scroll-down button generally causes a large number of screens to be displayed in quick succession. This makes it difficult for the user to perceive the current position of the focus point and the speed of scrolling with respect to the entire document. With the system according to the invention, the

20   presentation means may gradually or instantaneously zoom-out of the document, thus providing the user with a larger context for better understanding the effect of the scrolling operation.

Preferably, the presentation means are adapted to reinstate the zoom factor when a predetermined period of time has lapsed since the scroll command. It is thus achieved

25   that the user can directly proceed with making selections or amendments at a detailed level, without first zooming-in again on the location of the new focus point in the document. This reinstatement can be instantaneous or gradually to communicate the zooming-in to the user. The zooming-in may coincide with a centering of the focus point on the screen.

The document may be of any type, such as a text document, a spreadsheet, or

30   database report. Zooming out may cause individual elements of the document, such as characters, cells, graphics etc. to become very small, or disappear at all, i.e. incorporated in a more generalized view. For example, instead of individual characters, entire paragraphs may be presented as single units. Clearly, for manipulating the individual characters, the zoom-

factor should be relatively large, while for getting a grand overview, a smaller zoom factor is more suitable.

A specific example of a database document is an electronic program guide (EPG), where the individual elements are formed by the program items. In a detailed view, the programs may be represented by their title and possibly a genre icon etc. Often, the program items are listed in accordance with their broadcast time, e.g. all programs scheduled to be broadcast on a certain channel are presented in a list which is sorted by time. Slowly scrolling the list along the time axis, i.e. advancing the focus point to future programs, will remove current items from the screen and show the titles and icons of the future programs. According to the invention, when the user quickly repeats a scroll command the system will start zooming out, resulting in a more dense view of the time axis, and necessitating a more compact view of program items, e.g. by icons only. Further zooming-out may represent programs by simple dots. Although the individual programs are then not recognizable anymore, such representation may still be useful in combination with a recommender system, e.g. to discover clusters of recommended programs. When the user has not given scroll commands for a predetermined period of time, the system may reinstate the zoom factor to its default or maximum value again, possibly shifting the focus point to a nearest cluster of recommended programs first. Such reinstatement may proceed in an animated way, to avoid disorientation with the user. Alternatively or additionally, the user may be provided with a control element by means of which the zoom factor can be reinstated at any desired moment.

Possibly, the program items are presented in a two-dimensional manner, e.g. a time-channel matrix, which means that in addition to a time dimension there is also a channel dimension. Scrolling through time in the manner described above may or may not adjust the zoom factor in the channel dimension. For document types wherein the zoom factors of two dimensions are more connected, e.g. a digital map or a text document, the zoom factors are preferably adjusted simultaneously, either by substantially the same amount, in a certain mutual proportion, or with independent quantities.

In a further aspect, the object of the invention is realized in that the presentation step of the method according to the invention is adapted to automatically adjust the zoom factor in dependence of an aspect of said scroll command.

BRIEF DESCRIPTION OF THE DRAWINGS

These and other aspects of the invention are apparent from and will be elucidated, by way of a non-limitative example, with reference to the embodiment(s)

described hereinafter. Throughout the figures, same reference numerals indicate similar or corresponding features. Some of the features indicated in the drawings are typically implemented in software, and as such represent software entities, such as software modules or objects. In the drawings,

5   Figure 1 shows a block diagram of a digital television receiver as an embodiment of the data processing system according to the invention,

Figure 2 shows an example of a screen representation of an EPG in accordance with an embodiment of the method according to the invention,

Figure 3 shows an example of the screen when the user pressed the cursor

10   right when being at the edge of the screen,

Figure 4 shows an example of the screen when the user keeps pressing the cursor right for a longer period while being at the edge of the screen,

Figure 5 shows an example of the screen when the user has kept the cursor right pressed for a longer period,

15   Figure 6 shows an example of the screen when the view is completely zoomed out,

Figure 7 shows a flow diagram of a method of scrolling a document according to the invention.

20   DESCRIPTION OF EMBODIMENTS

Figure 1 shows a block diagram of a digital television receiver as an embodiment of the data processing system according to the invention. Digital broadcast streams, modulated upon radio frequency (RF) signals, are received from the ether by an antenna 101 or, alternatively, from a cable network. The broadcast streams may be formatted,

25   for example, in accordance with the Digital Video Broad-casting (DVB) standard. A tuner 102 comprises a standard analog RF receiving device which is capable of receiving said RF signals and selecting one of them to be output to a demodulator 103. Which signal tuner 102 selects is dependent upon control data received from a central processing unit (CPU) 105. The demodulator 103 converts the analog signal into a digital packet stream, based on control

30   signals received from the CPU 105. This packet stream is then output to a demulti-plexer 104, which selects packets belonging to a particular program in accordance with control data received from the CPU 105, and decomposes the packet stream into elementary video, audio or data streams.

In addition to broadcast signals, the television receiver may be adapted to receive signals from other sources too, for example, from a (digital) video recorder or DVD, from Internet, or from a digital subscriber line. A video processor 108 decodes the video stream received from the demultiplexer 104 or from the CPU 105, and decoded video data is

5   then transmitted to a display screen 109. An audio processor 106 decodes the audio stream received from the demultiplexer 104, and decoded audio data is then transmitted to a loudspeaker system 107.

The demultiplexer 104 outputs the elementary data stream to the CPU 105. The elementary data stream has two types of data: control data and content data. Content

10   refers to, for example, interactive programs; control refers to tables in the multiplex which specify matters like the structure of the multiplex, the (RF) frequencies at which the channels are modulated, and the addresses at which the various content components and the (other) tables in the multiplex can be found. The CPU 105 comprises one or more microprocessors capable of executing program instructions stored in a read-only memory (ROM) 112. These

15   program instructions comprise parts of software modules including, inter alia, a command module 113, and an EPG module 114. Data processed by said software modules, e.g. DVB-SI data and user profile information, may be stored in a non-volatile memory 111. The command module 113 is capable of controlling functions of the TV-set, like tuning and demultiplexing selection, and transmitting data to the video processor 108 to be presented on

20   the screen 109. A user command unit 110 receives user commands, e.g. through a remote control (not shown), and transmits them to the command module 113 to be processed. The EPG module 114 interprets the DVB-SI data received from the demultiplexer 104 to collect information about the channels ('services' in DVB terminology) available in the received broadcast streams and about the programs ('events' in DVB terminology) scheduled for those

25   channels.

Figure 2 shows an example of a screen representation of an EPG in accordance with an embodiment of the method according to the invention. Display screen 20 shows, after a suitable user command for starting the EPG application, a vertical axis 21, along which names of channels are displayed, and a horizontal axis 30, represent as a time bar

30   representing the broadcast time. Along the axis 30 clock times are shown corresponding to one-hour intervals. The system may comprise means (not shown) for relocating the axes to another position, and/or change their orientation. A pictogram 27 is adapted to present information, such as a picture frame, related to a program which corresponds to the selected time and channel. The correspondence between the pictogram 27 and the selected time and

channel is emphasized by lines 22 and 31 which together form a cross hair. Additional

information about the selected program is shown along the time bar 30, for example, the title,

the channel name, broadcast time, and a short description. The information presented in the

pictogram 27 and along the time bar is transmitted, for example, along with the DVB-SI data

5   and stored in the memory 111. Said information may comprise, inter alia, text, graphics,

pictures, sound and video clips. The memory 11 may, for example, comprise solid-state

memory, and/or magnetic or optical storage.

Along the channel axis 31, information about programs is displayed which are

scheduled to be broadcast on other channels at the selected time. That information may

10   include start-time, elapsed time with respect to the currently selected time, title etc.

Pictogram 27 is a focus point within the schedule information provided by the

EPG, i.e. it indicates a currently selected combination of time and channel, and uniquely

defines a particular program schedule element. The schedule information as provided by the

EPG at a certain moment, often a period of two weeks, constitutes a document which the user

15   can scroll through by adjusting the position of the focus point. To that end, the pictogram 27

can be dragged by the user by means of the command unit 110, for example by pressing

'cursor' keys (up/down/left/right) on a remote control, or any other well know manner of

controlling a (cursor) position on a display. Dragging the pictogram 27 in horizontal direction

has the effect that the selected broadcast time shifts to the future or the past, dependent of the

20   direction. It causes the content of pictogram 27 and the additional information along bar 30 to

be replaced by information pertaining to a program corresponding to the newly selected time

at the same channel. Also the information about programs on the other channels along axis 21

is updated. Dragging the pictogram 27 in vertical direction causes the selected channel to be

adjusted and at least some of said data elements on the screen to be updated accordingly.

25   When the user is interested in a program corresponding to the information

presented in the pictogram 27, he may be allowed to select said program for recording,

immediate viewing or setting a reminder. The selection of said program may be achieved by

issuing a suitable command, for example, by means of a dedicated button (not shown) of the

user command unit 10, an on-screen menu, or voice recognition.

30   After a number of scroll commands have been given, at a certain moment

pictogram 27 will have reached the edge of the screen. If the user continues scrolling in the

same direction, the range of time represented by time bar 30 will start shifting, while

pictogram 27 remains in the same position. This is depicted in Figure 3. The time-bar gets

updated to indicate the movement into the future. The steps at which the time-bar is updated changes to time based jumps rather than "next program" jumps.

Figure 4 shows an example of the screen when the user keeps pressing the cursor-right button for a longer period while being at the edge of the screen (e.g. 1.5

5   seconds). The pictogram 27 remains but all other program information is "reduced" to symbols which indicate a recommended program or an otherwise tagged program. Also the scale of time bar 30 is being adjusted to increase with larger steps.

Figure 5 shows an example of the screen when the user has kept the cursor-right button pressed for a longer period. Pictogram 27 has disappeared and the cross hair position has moved to the center and the scale of the time-bar as well as the channels is

10   zooming out. The effect is that the program overview becomes a "star system" allowing the user to recognize where the most interesting programs are. When no further scroll commands are given, the cross hair will be automatically drawn to the nearest and largest cluster of "stars" ("gravity" principle) thus ensuring that the user will see the "best selection". In

15   alternative embodiments, the cross hair is not centered, and/or zooming out is only performed in the time dimension.

Figure 6 shows an example of the screen when the view is completely zoomed out. The steps on the time bar are now per day. The view includes all available channels. The effect is that the program overview becomes a "star universe" allowing the user to have an

20   overview of all interesting programs. When no further scroll commands are given, the cross hair will be automatically drawn to the nearest and largest cluster of "stars" thus ensuring that the user will see the "best selection".

After another period of time during which no further scroll commands are given, the crosshair may continue to zoom in on the cluster until the most likely candidate is

25   found. This is based on several criteria, including currently watched channel, highest ranked program etc.

While zooming out the user can again initiate navigation within the screen to influence the selection. For example by moving the crosshair up or down to select a particular channel or region of channels.

30   Figure 7 shows a flow diagram of a method of scrolling a document according to the invention. After an initialization step 701, the system awaits scroll commands in a step 702. If a certain amount of time has passed since the last scroll command, step 705 is performed as explained later. In step 703 it is determined whether an aspect of the scroll command meet certain criteria. Examples of such an aspect are the duration of the command,

the time period since the previous scroll command, a force exerted on a force sensitive input
device, etc. The corresponding criteria may respectively include the duration exceeding a
threshold value, the time period since the previous scroll command being less than a
threshold value, or the exerted force exceeding a threshold value. If these criteria are met, a
5   step 706 is performed. In step 706 the zoom factor is diminished, i.e. the system zooms out of
the document. This zooming out may proceed instantaneously or gradually. For example, in
response to a quick repetition of scroll commands, the zoom factor may be diminished with a
fixed amount or percentage after each command. Alternatively, in response to a prolonged
operation of a scroll button, the zoom factor may be diminished gradually while the user
10   keeps operating the button. In yet another embodiment, the zoom factor is made a function of
the exerted force on a force sensitive input device. Irrespective of the outcome of test 703, the
scroll command is performed in the normal manner in step 704. If the zoom factor is
minimized, this means that the entire document is presented on a single screen, and that the
scrolling only involves moving the focus point, e.g. cursor or cross hair, across the screen
15   until it reaches a beginning or end of the document, while the document is statically
displayed.

        If it is determined in step 702 that a certain amount of time has passed since
the last scroll command and if the zoom factor was earlier diminished automatically as
described above, the zoom factor is automatically increased again in step 705, causing a
20   zooming-in on the document. This zooming-in may be instantaneously or animated to avoid
confusion with the user. The automatic increasing may stop when the original zoom factor is
reached or at a predetermined default value. Prior to this automatic reinstatement of the zoom
factor, the focus point may be centered on the screen to some extent in order to ensure that
the focus point is still visible after zooming in, and optionally the focus point may be
25   automatically adjusted to a more relevant part of the document nearby the current focus
point. This relevance may be determined by a recommender system, or by simple rules, e.g. if
after scrolling for some time the focus point is in an empty part of the document, the focus
point may be relocated to the closest non-empty part, e.g. text paragraph.

        In summary, the invention relates to a data processing system enabling a user
30   to view or edit a document. When the user scrolls the document over a relatively large
distance within a short time period, the system automatically adjusts the zoom factor so as to
provide the user with a better overview during scrolling. When the user has finished
scrolling, the zoom factor may be reinstated to its initial value.

Although the invention has been described with reference to particular illustrative embodiments, variants and modifications are possible within the scope of the inventive concept. Thus, for example, the invention can be applied to any type of document, such as text documents, digital maps etc. Furthermore, any type of input device may be used, such as cursor control keys, mouse, trackball, joystick, voice control etc. In all cases, if the system can deduce that the user intends or is in the process of scrolling the document over a relatively large distance, the automatic adjustment of the zoom factor according to the invention may be applied.

The use of the verb 'to comprise' and its conjugations does not exclude the presence of elements or steps other than those defined in a claim. In the claims, any reference signs placed between parentheses shall not be construed as limiting the claim. The invention can be implemented by means of hardware comprising several distinct elements, and by means of a suitably programmed computer. In the system claims enumerating several means, several of these means can be embodied by one and the same item of hardware.

A 'computer program' is to be understood to mean any software product stored on a computer-readable medium, such as a floppy-disk, downloadable via a network, such as the Internet, or marketable in any other manner.